

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Attorney Docket No. : 123-003
First Named Inventor: : John Ashton Sinclair
Patent No. : 7,585,175
Application No. : 10/539,655
Filing Date : June 14, 2005
Title : ELONGATED ELECTRICAL CONDUCTOR THAT IS ADAPTED FOR
ELECTRICALLY CONNECTING WITH AN ELECTRICAL CONTACT
Art Unit : 2839
Examiner's Name: : Tho D. Ta
Customer Number: : 47533

Attn: Certificate of Correction Branch
Commissioner for Patents
P.O. Box. 1450
Alexandria, VA 22313-1450

REQUEST FOR CERTIFICATE OF CORRECTION OF PATENT FOR PTO MISTAKE

Sir:

Transmitted herewith is a Certificate of Correction for U.S. Patent 7,585,175 issued on September 8, 2009. Upon reviewing the patent, the patentee noted that the following errors were made by the Patent and Trademark Office, which should be corrected as follows:

In claim 1, column 21, line 31, delete "contract" and insert -- contact --.

In claim 20, column 23, line 29, after "body", insert --back along substantially all of the first contact surface and --.

In claim 20, column 23, beginning on line 32, after "body", delete "back along substantially all of the first contact surface and".


In claim 20, column 23, line 32, after "ribs", insert -- wherein the resilient ribs do not extend along or transversely beyond the opposite face --.

In claim 20, column 23, line 36, after "and the", delete "a".

In claim 20, column 23, lines 37 and 38, delete "wherein the resilient ribs do no extend along or transversely beyond the opposite face".

Since the errors for which a Certificate of Correction is sought were a result of a Patent and Trademark Office mistake, no fee is due (35 U.S.C. § 254).

September 15, 2009



Joel D. Voelzke (37,957)
Attorney for Applicant

INTELLECTUAL PROPERTY LAW OFFICES OF JOEL VOELZKE, APC
24772 W. Saddle Peak Road
Malibu, California 90265-3042
Telephone: (310) 317-4466
Facsimile: (310) 317-4499

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO. : 7,585,175

DATED : 9/8/2009

INVENTOR(S) : John Ashton Sinclair et al.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In claim 1, column 21, line 31, delete "contract" and insert -- contact --.

In claim 20, column 23, line 29, after "body", insert --back along substantially all of the first contact surface and --.

In claim 20, column 23, beginning on line 32, after "body", delete "back along substantially all of the first contact surface and".

In claim 20, column 23, line 32, after "ribs", insert -- wherein the resilient ribs do not extend along or transversely beyond the opposite face --.

In claim 20, column 23, line 36, after "and the", delete "a".

In claim 20, column 23, lines 37 and 38, delete "wherein the resilient ribs do no extend along or transversely beyond the opposite face".

MAILING ADDRESS OF SENDER:

Intellectual Property Law Offices of Joel Voelzke, APC
24772 Saddle Peak Road
Malibu, CA 90265-3042

PATENT NO.

7,585,175

No. of additional copies



This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.